



Europäisches Patentamt
European Patent Office
Office européen des brevets

Publication number:

0 329 219
A2



EUROPEAN PATENT APPLICATION

(21) Application number: 89200271.8

(61) Int. Cl. 4 A23G 3/00, A23G 9/02

(22) Date of filing: 06.02.89

(30) Priority: 17.02.88 GB 8803608

(43) Date of publication of application:
23.08.89 Bulletin 89/34

(54) Designated Contracting States:
AT BE CH DE ES FR GB GR IT LI NL SE

(71) Applicant: UNILEVER NV
Burgemeester s'Jacobplein 1 P.O. Box 760
NL-3000 DK Rotterdam(NL)

(84) BE CH DE ES FR GR IT LI NL SE AT

Applicant: UNILEVER PLC
Unilever House Blackfriars P.O. Box 68
London EC4P 4BQ(GB)

(84) GB

(72) Inventor: Clark, Helen Patricia
48 College Street
Wellingborough Northants. NN8 3HF(GB)
Inventor: Holt, Christopher Brunsden
Meadowcroft High Street
Pavenham Bedford MK43 7NP(GB)


(74) Representative: Keppels, Willem Richard
Engelbertus Gerardus, Drs. et al
Unilever N.V. Patent Division P.O.Box 137
NL-3130 AC Vlaardingen(NL)

54 Multicomponent ice confection product

(57) Multicomponent ice confection product. The main part of its outer surface being regularly curved and the surface separating two components (1,2) being at least mainly concentric with respect to said outer surface; the dimensions and the electrical properties being such that on exposure to microwave radiation from a commercial household or catering heater the centre will be heated in excess of 25°C while a more outwardly positioned layer is still frozen.

EP 0 329 219 A2

FIG. 1



Multicomponent ice confection product

The invention relates to multicomponent ice confection products suitable for preparation for consumption using a microwave oven.

5 Ice confection desserts like ice cream with hot chocolate sauce or hot raspberry sauce are very popular but require considerable preparation effort. Various proposals have been made to facilitate their preparation such as by packing the components separately, enabling the sauce component to be heated separately. Also two compartment packages have been proposed for use in a microwave oven, the ice cream compartment being shielded.

Apart from relatively expensive packaging material being used these proposals still require pouring the hot sauce onto the frozen ice cream component, resulting in a messy and difficult to handle dessert.

10 The invention relates to an improved multicomponent ice confection product, devoid of the above shortcomings, this product having an outer surface being at least mainly regularly curved, the surface separating two components being at least mainly concentric with respect to the said outer surface and the dimensions and electrical properties being such that on exposure of the frozen confection to microwave energy of commercial household or catering microwave heaters an inner area will be heated to a 15 temperature of at least 25 °C while an area further outwardly is still frozen.

In a preferred embodiment the central component is a sauce, e.g. chocolate, fruit or mint, and a layer surrounding this centre is an ice confection material, coated or not with a usual couverture and/or particles such as chopped nuts, wafer crunches etc.

20 Other features and embodiments will be apparent from the following description, illustrated diagrammatically in the accompanying drawings.

Fig.1 is a cross section through one embodiment according to the invention.

Fig.2 is a cross section through another embodiment according to the invention.

Fig.3 is a longitudinal section through still another embodiment according to the invention.

25 In Fig.1 a spherical ice confection product is shown in sectional view, comprising in a concentric arrangement a spherical centre 1 of chocolate sauce, enclosed in a shell 2 of standard vanilla ice cream and a coating 3 of couverture. The expression "couverture" in this specification and claims refers to a fat based product which is solid at ambient temperature containing at least cocoa as a flavouring agent. Examples being chocolate, bakers, confectioners and ice makers couverture, comprising cocoa butter, 30 cocoa butter substitutes, suitably hardened vegetable oils or fats and/or similar generally available fats or fat substitutes.

Examples of suitable ice creams and ice confection materials for the shell being:

	% by weight	
35	milk fat	14
	vegetable fat	-
	msnf	10
	sucrose	15
40	corn syrup solids	-
	stabilizer/emulsifier	.3
	flavour	.1
	water up to	100%
		100%

45 Examples of chocolate and raspberry sauce being:

	% by weight		% by weight
cocoa	11	raspberry puree	50
milk fat	10	sucrose	20
msnf	3	dextrose	10
sucrose	26	glucose syrup	9
dextrose	10	starch	4
glucose syrup	8	water up to	100%
starch	3.7		
vanillin	.5		
salt	.3		
water up to	100%		

15 In practice the diameter of the confection product is from 4.5 to 6 cm and preferably of about 5 cm, provided standard ice cream or ice confection having an overrun of from 0 to 80% and preferably of from 0 to 50% is used. The higher overrun values are to be accounted for by the higher diameters. Suitable dimensions for the centre are diameters of from 1 to 2.5 cm, preferably about 1.5 cm.

20 Although these dimensions give good results with products as specified above, deviations will be possible. If for example higher overrun than say 80% is used a diameter of 6 to 8 cm is more suitable. Roughly the following equations apply:

$$25 R = \frac{\lambda_0 \ 4.5}{2 \ \pi \ \epsilon}$$

where R = radius of sphere in cm

λ_0 = incident wavelength

30 ϵ = dielectric constant (real part) and

ϵ_i = dielectric constant (imaginary part) of the product

λ = wavelength in the product.

$\lambda = \lambda_0(\epsilon^2 + \epsilon_i^2)^{\frac{1}{2}}$

The dielectric constant of the ice confection can be determined after its preparation.

35 By approximation the dielectric constant of ice confection can be calculated using the equation:

$$\epsilon = 3.01\Phi_A + 6.53\Phi_M + 3.12\Phi_{F+1}$$

where Φ_A = phase volume of air

Φ_M = phase volume of matrix

Φ_{F+1} = phase volume of fat and ice.

40 By matrix the aqueous phase of the ice confection is understood.

After putting the product having a temperature of about -18°C into a commercial microwave oven of 1.3 kW and 2450 MHz the oven is energized for 35 secs on half power. This results in a sphere which is still hard frozen but has a molten, warm centre.

45 Best results are obtained with ice confection material comprising from 0 to 15% by weight of fat and from 30 to 55% by weight of ice.

In Fig.2 a second embodiment of a product according to the invention is shown. A disc shaped sponge cake or biscuit base 4 having a thickness of about .5 cm supports a hemispherical composite product being roughly half the product as described in connection to Fig.1. Similar ingredients and compositions can be used.

50 The cylindrical product having rounded ends comprises an oblong centre 5 of sauce, enclosed by a layer 6 of ice confection material and a couverture coating 7. Since the concentration of the microwave energy when heating in a microwave oven is less expressed than with the globular embodiment a slightly longer exposure or more intense exposure to microwaves is to be used for preferentially heating the sauce.

55 If the same sauce is very fluid after heating it will flow across the cold ice confection and a plate supporting it and as a result quickly cool down again. For more expressed results and longer lasting temperature contrasts a suitable thickening agent is contained in the sauce, such as 3 to 7% by weight of starch. It will be evident for experts that any suitable thickening agent can be used.

Claims

5 1. Multicomponent ice confection product having an outer surface being at least mainly regularly curved, the surface separating two components being at least mainly concentric with respect to the said outer surface and the dimensions and electrical properties being such that on exposure of the confection to microwave energy of commercial household or catering microwave heaters an inner area will be heated to a temperature of at least 25 °C while an area further outwardly is still frozen.

10 2. Multicomponent ice confection product according to claim 1, having a central area comprising a sauce and a surrounding area of ice confection material.

15 3. Ice confection product according to any claim 1 or 2, having a shape of at least part of a sphere.

20 4. Ice confection product according to any claim 3 or 4, wherein its shape is mainly spherical.

25 5. Ice confection product according to any claim 3 or 4, wherein the sphere has a radius R conforming to the equation:

$$R = \frac{\lambda_0 \cdot 4.5}{2 \pi \cdot \epsilon}$$

20 where λ_0 = incident wavelength of the microwave energy
 ϵ = dielectric constant (real part) and
 ϵ_i = dielectric constant (imaginary part) of the ice confection product
 λ = wavelength in the product
 $\lambda = \lambda_0(\epsilon^2 + \epsilon_i^2)^{1/2}$

25 6. Ice confection product according to any claim 1 to 5, wherein the sphere is of a diameter of from 4.5 to 6 cm.

30 7. Ice confection product according to any claim 1 to 6, wherein the ice confection material has an overrun of from 0 to 80% and preferably of from 0 to 50%.

35 8. Ice confection product according to any claim 1 to 7, wherein the ice confection material comprises 0 to 15% by weight of fat and 30 to 55% by weight of ice.

40 9. Ice confection product according to any claim 1 to 8, wherein the sauce comprises a thickening agent.

45 10. Ice confection product according to claim 9, wherein the sauce comprises from 3 to 7% by weight of starch.




35


40

45

50

55







Europäisches Patentamt
European Patent Office
Office européen des brevets

Publication number:

0 329 219
A3



EUROPEAN PATENT APPLICATION

(1) Application number: 89200271.8

(5) Int. Cl. 5 A23G 3/00 , A23G 9/02

(2) Date of filing: 06.02.89

(3) Priority: 17.02.88 GB 8803608

(4) Date of publication of application:
23.08.89 Bulletin 89/34

(6) Designated Contracting States:
AT BE CH DE ES FR GB GR IT LI NL SE

(8) Date of deferred publication of the search report:
11.04.90 Bulletin 90/15

(7) Applicant: UNILEVER NV
Burgemeester s'Jacobplein 1 P.O. Box 760
NL-3000 DK Rotterdam(NL)
(8) BE CH DE ES FR GR IT LI NL SE AT

Applicant: UNILEVER PLC
Unilever House Blackfriars P.O. Box 68
London EC4P 4BQ(GB)

(8) GB


(7) Inventor: Clark, Helen Patricia
48 College Street
Wellingborough Northants. NN8 3HF(GB)
Inventor: Holt, Christopher Brunsden
Meadowcroft High Street
Pavenham Bedford MK43 7NP(GB)

(7) Representative: Keppels, Willem Richard
Engelbertus Gerardus, Drs. et al
Unilever N.V. Patent Division P.O.Box 137
NL-3130 AC Vlaardingen(NL)

(54) Multicomponent ice confection product.

(57) Multicomponent ice confection product. The main part of its outer surface being regularly curved and the surface separating two components (1,2) being at least mainly concentric with respect to said outer surface; the dimensions and the electrical properties being such that on exposure to microwave radiation from a commercial household or catering heater the centre will be heated in excess of 25 °C while a more outwardly positioned layer is still frozen.

FIG. 1



EP 0 329 219 A3



DOCUMENTS CONSIDERED TO BE RELEVANT		Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int. Cl.4)
Category	Citation of document with indication, where appropriate, of relevant passages		
Y	WO-A-8 605 072 (D. SPEAKMAN et al.) * Figure 1; page 2, line 24 - page 3, line 36; claims 1-6 *	1,2,3,7 ,8,9	A 23 G 9/02
Y	US-A-2 600 566 (F. WESLEY MOFFETT) * Claims 1; figures 1,2; column 5, lines 26-65; column 4, line 29 - column 5, line 21 *	1,2,3,7 ,8,9	
A	US-A- 233 325 (G. SLANGAN et al.) * Figures 12,5,6; column 11, line 40 - column 12, line 38 *	1,2,3	
P,A	US-A-4 794 008 (W.L. SCHMIDT et al.) ---		
A	CH-A- 469 442 (K. TICHY) * Figure 3; column 3, line 33 - column 4, line 47 *	1-5	
A	US-A-3 274 958 (E.J. OTKEN) ---		TECHNICAL FIELDS SEARCHED (Int. Cl.4)
A	GB-A- 987 951 (F. WILKINSON) ---		A 23 G 9
A	US-A-2 085 495 (G. GLEN FULKERSON) -----		
The present search report has been drawn up for all claims			
Place of search	Date of completion of the search	Examiner	
THE HAGUE	15-01-1990	GUYON R.H.	
CATEGORY OF CITED DOCUMENTS		T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document	
X : particularly relevant if taken alone			
Y : particularly relevant if combined with another document of the same category			
A : technological background			
O : non-written disclosure			
P : intermediate document			